



***Solar Garden Light
Cost Effective
Solar Street Lights Solutions***

Jinhua Sunmaster Solar Technology Co., Ltd.

Headquarter & Factory: Jinhua city, Zhejiang Province, China
International sales office: Milan city, Italy

Tel: +39 02.37.92.02.88

E-mail: export@chinasunmaster.com

Web: www.solarlightsmanufacturer.com

Solar Garden Light

SunMaster solar garden lights are the perfect way to emphasize to the beautiful landscaping in your garden and also serve as a way to brighten up and beautify your surroundings... Besides the elimination of electrical costs, SunMaster solar garden lights are simple to install and easy to maintain. Specifications below are for reference only. The system will be configured according to the environmental conditions of the installation site as well as your specific requirements. **Please CONTACT US about customized lighting solutions, including requests for solar lights that last more than 10 hours per night.**

Applications

- Street Lighting
- Pathway Lighting
- Ramp Lighting
- Sidewalk Lighting
- Private Road Lighting
- Farm & Ranch Lighting
- Wildlife Area Lighting
- Perimeter Security Lighting
- Park Lighting
- Gate Lighting
- Yard Lighting
- Fence Lighting
- Campus Lighting
- Boat Dock Lighting
- Remote Area Lighting
- Military Base Lighting


Standard Features

- Solar Panel: over 25 years of power generation capacity, with a 10-year warranty
- LED Light: super luminous LEDs that last up to 80,000 hours, with a 3-year warranty
- Controller: over 8 years of typical operating life, with a 3-year warranty, dusk until dawn operation or timed ON/OFF operation
- Pole: up to 25 years of long life time, hot galvanizing treatment
- Battery: 6~8 years of maximum life, with a 3-year warranty

Benefits

- No line voltage, trenching, or metering
- No power outages
- Battery backup for cloudy or rainy days
- Distributed light and power - no single point of failure for enhanced security
- Easy to install with quick connect plugs - less than 1 hour
- No scheduled maintenance for up to 5 years
- No cost of replacing concrete, asphalt or landscaping
- No cost of transformers or meters to be added for electric service
- Qualify for savings from various states and federal taxes and incentives
- No monthly electric bills
- Controlled charging to prolong battery service life
- Long-life PV modules with more than 25 years of power generation capacity
- Environmental friendly -100% powered by sun, solar panel reduce fossil fuel consumption, eliminate pollution
- Self-contained solution - Light on/off controlled by automatic daylight sensing or hour preset, no running or maintenance cost
- Better light source - LED lights cool white light without flickering and higher brightness than sodium lights
- Safe 12 volt/24 volt circuit, no risk of electric shock


Solar Garden Light (SGL34)

	Quotation	sample	>10sets	>50sets	>100sets	>200sets
		USD320	USD280	USD240	USD220	USD200
	Solar Panel	30W/18V, mono crystalline or polycrystalline, conversion efficiency >17%				
	Led Lamp	7W/12V bulb, individual Bridgelux LEDs, >160lm/watt				
	Pole	3m height, hot-dip galvanized and plastic powder coated ant-corrosion				
	Controller	12V/8A, Light on/off automatic control, IP68				
	Battery	26Ah/12V, Gel type, deep-cycle				
	Working Time	10-12 hours/day, 3-5 days backup				
Wind resistance	130km/h (higher wind resistant available)					

Options for Solar Garden Light (SGL34)

Solar Panel	15W, 30W, 40W, 50W,60W, 80W
Light Power	5W, 9W, 10W, 12W, 15W, 18W, 20W
Pole Height	3M, 3.2M, 3.5M, 4M,4.5M
Battery	Gel or Lead acid deep cycle battery, 18Ah, 24Ah, 33AH,55Ah,65Ah,70Ah, 80Ah, 90Ah
Battery Position	On root of pole (optional)

Solar Garden Light (SGL35)

	Quotation	sample	>10sets	>50sets	>100sets	>200sets
		USD320	USD280	USD240	USD220	USD200
	Solar Panel	30W/18V, mono crystalline or polycrystalline, conversion efficiency >17%				
	Led Lamp	7W/12V bulb, individual Bridgelux LEDs, >160lm/watt				
	Pole	3m height, hot-dip galvanized and plastic powder coated ant-corrosion				
	Controller	12V/8A, Light on/off automatic control, IP68				
	Battery	26Ah/12V, Gel type, deep-cycle				
	Working Time	10-12 hours/day, 3-5 days backup				
Wind resistance	130km/h (higher wind resistant available)					

Options for Solar Garden Light (SGL35)

Solar Panel	15W, 30W, 40W, 50W,60W, 80W
Light Power	5W, 9W, 10W, 12W, 15W, 18W, 20W
Pole Height	3M, 3.2M, 3.5M, 4M,4.5M
Battery	Gel or Lead acid deep cycle battery, 18Ah, 24Ah, 33AH,55Ah,65Ah,70Ah, 80Ah, 90Ah
Battery Position	On root of pole (optional)

Jinhua Sunmaster Solar Technology Co., Ltd.

Headquarter & Factory: Jinhua city, Zhejiang Province, China


International sales office: Milan city, Italy

Tel: +39 02.37.92.02.88

E-mail: export@chinasunmaster.com

Web: www.solarlightsmanufacturer.com


Solar Garden Light (SGL50)

	Quotation	sample	>10sets	>50sets	>100sets	>200sets
		USD320	USD280	USD240	USD220	USD200
	Solar Panel	30W/18V, mono crystalline or polycrystalline, conversion efficiency >17%				
	Led Lamp	7W/12V bulb, individual Bridgelux LEDs, >160lm/watt				
	Pole	3m height, hot-dip galvanized and plastic powder coated ant-corrosion				
	Controller	12V/8A, Light on/off automatic control, IP68				
	Battery	26Ah/12V, Gel type, deep-cycle				
	Working Time	10-12 hours/day, 3-5 days backup				
Wind resistance	130km/h (higher wind resistant available)					

Options for Solar Garden Light (SGL50)

Solar Panel	15W, 30W, 40W, 50W,60W, 80W
Light Power	5W, 9W, 10W, 12W, 15W, 18W, 20W
Pole Height	3M, 3.2M, 3.5M, 4M,4.5M
Battery	Gel or Lead acid deep cycle battery, 18Ah, 24Ah, 33AH,55Ah,65Ah,70Ah, 80Ah, 90Ah
Battery Position	On root of pole (optional)

Solar Garden Light (SGL51)

	Quotation	sample	>10sets	>50sets	>100sets	>200sets
		USD350	USD310	USD260	USD240	USD220
	Solar Panel	30W/18V, mono crystalline or polycrystalline, conversion efficiency >17%				
	Led Lamp	7W/12V bulb, individual Bridgelux LEDs, >160lm/watt				
	Pole	3m height, hot-dip galvanized and plastic powder coated ant-corrosion				
	Controller	12V/8A, Light on/off automatic control, IP68				
	Battery	26Ah/12V, Gel type, deep-cycle				
	Working Time	10-12 hours/day, 3-5 days backup				
Wind resistance	130km/h (higher wind resistant available)					

Options for Solar Garden Light (SGL51)

Solar Panel	15W, 30W, 40W, 50W,60W, 80W
Light Power	5W, 9W, 10W, 12W, 15W, 18W, 20W
Pole Height	3M, 3.2M, 3.5M, 4M,4.5M
Battery	Gel or Lead acid deep cycle battery, 18Ah, 24Ah, 33AH,55Ah,65Ah,70Ah, 80Ah, 90Ah
Battery Position	On root of pole (optional)

Jinhua Sunmaster Solar Technology Co., Ltd.

Headquarter & Factory: Jinhua city, Zhejiang Province, China


International sales office: Milan city, Italy

Tel: +39 02.37.92.02.88

E-mail: export@chinasunmaster.com

Web: www.solarlightsmanufacturer.com


Solar Garden Light (SGL52)

	Quotation	sample	>10sets	>50sets	>100sets	>200sets
		USD330	USD290	USD250	USD230	USD210
Solar Panel	30W/18V, mono crystalline or polycrystalline, conversion efficiency >17%					
Led Lamp	7W/12V bulb, individual Bridgelux LEDs, >160lm/watt					
Pole	3m height, hot-dip galvanized and plastic powder coated ant-corrosion					
Controller	12V/8A, Light on/off automatic control, IP68					
Battery	26Ah/12V, Gel type, deep-cycle					
Working Time	10-12 hours/day, 3-5 days backup					
Wind resistance	130km/h (higher wind resistant available)					

Options for Solar Garden Light (SGL52)

Solar Panel	15W, 30W, 40W, 50W,60W, 80W
Light Power	5W, 9W, 10W, 12W, 15W, 18W, 20W
Pole Height	3M, 3.2M, 3.5M, 4M,4.5M
Battery	Gel or Lead acid deep cycle battery, 18Ah, 24Ah, 33AH,55Ah,65Ah,70Ah, 80Ah, 90Ah
Battery Position	On root of pole (optional)

Solar Garden Light (SGL53)

	Quotation	sample	>10sets	>50sets	>100sets	>200sets
		USD290	USD250	USD220	USD200	USD190
Solar Panel	30W/18V, mono crystalline or polycrystalline, conversion efficiency >17%					
Led Lamp	7W/12V bulb, individual Bridgelux LEDs, >160lm/watt					
Pole	3m height, hot-dip galvanized and plastic powder coated ant-corrosion					
Controller	12V/8A, Light on/off automatic control, IP68					
Battery	26Ah/12V, Gel type, deep-cycle					
Working Time	10-12 hours/day, 3-5 days backup					
Wind resistance	130km/h (higher wind resistant available)					

Options for Solar Garden Light (SGL53)

Solar Panel	15W, 30W, 40W, 50W,60W, 80W
Light Power	5W, 9W, 10W, 12W, 15W, 18W, 20W
Pole Height	3M, 3.2M, 3.5M, 4M,4.5M
Battery	Gel or Lead acid deep cycle battery, 18Ah, 24Ah, 33AH,55Ah,65Ah,70Ah, 80Ah, 90Ah
Battery Position	On root of pole (optional)

Jinhua Sunmaster Solar Technology Co., Ltd.

Headquarter & Factory: Jinhua city, Zhejiang Province, China


International sales office: Milan city, Italy

Tel: +39 02.37.92.02.88

E-mail: export@chinasunmaster.com

Web: www.solarlightsmanufacturer.com


Solar Garden Light (SGL54)

	Quotation	sample	>10sets	>50sets	>100sets	>200sets
		USD320	USD280	USD240	USD220	USD200
Solar Panel	30W/18V, mono crystalline or polycrystalline, conversion efficiency >17%					
Led Lamp	7W/12V bulb, individual Bridgelux LEDs, >160lm/watt					
Pole	3m height, hot-dip galvanized and plastic powder coated ant-corrosion					
Controller	12V/8A, Light on/off automatic control, IP68					
Battery	26Ah/12V, Gel type, deep-cycle					
Working Time	10-12 hours/day, 3-5 days backup					
Wind resistance	130km/h (higher wind resistant available)					

Options for Solar Garden Light (SGL54)

Solar Panel	15W, 30W, 40W, 50W,60W, 80W
Light Power	5W, 9W, 10W, 12W, 15W, 18W, 20W
Pole Height	3M, 3.2M, 3.5M, 4M,4.5M
Battery	Gel or Lead acid deep cycle battery, 18Ah, 24Ah, 33AH,55Ah,65Ah,70Ah, 80Ah, 90Ah
Battery Position	On root of pole (optional)

Solar Garden Light (SGL55)

	Quotation	sample	>10sets	>50sets	>100sets	>200sets
		USD350	USD310	USD260	USD240	USD220
Solar Panel	30W/18V, mono crystalline or polycrystalline, conversion efficiency: 17%					
Led Lamp	7W/12V bulb, individual Bridgelux LEDs, >160lm/watt					
Pole	3M, hot galvanizing treatment+ plastic powder coated					
Controller	12V 5A solar charge controller					
Battery	12V 26Ah, gel cell deep cycle battery					
Working Time	10-12 hours/day, 3-5 cloudy or rainy days backup					
Wind resistance	130km/h (higher wind resistant models available)					

Options for Solar Garden Light (SGL55)

Solar Panel	15W, 30W, 40W, 50W,60W, 80W
Light Power	5W, 9W, 10W, 12W, 15W, 18W, 20W
Pole Height	3M, 3.2M, 3.5M, 4M,4.5M
Battery	Gel or Lead acid deep cycle battery, 18Ah, 24Ah, 33AH,55Ah,65Ah,70Ah, 80Ah, 90Ah
Battery Position	On root of pole (optional)

Jinhua Sunmaster Solar Technology Co., Ltd.

Headquarter & Factory: Jinhua city, Zhejiang Province, China


International sales office: Milan city, Italy

Tel: +39 02.37.92.02.88

E-mail: export@chinasunmaster.com

Web: www.solarlightsmanufacturer.com


Solar Garden Light (SGL56)

	Quotation	sample	>10sets	>50sets	>100sets	>200sets
		USD290	USD240	USD210	USD200	USD190
	Solar Panel	30W/18V, mono crystalline or polycrystalline, conversion efficiency >17%				
	Led Lamp	7W/12V bulb, individual Bridgelux LEDs, >160lm/watt				
	Pole	3m height, hot-dip galvanized and plastic powder coated ant-corrosion				
	Controller	12V/8A, Light on/off automatic control, IP68				
	Battery	26Ah/12V, Gel type, deep-cycle				
	Working Time	10-12 hours/day, 3-5 days backup				
Wind resistance	130km/h (higher wind resistant available)					

Options for Solar Garden Light (SGL56)

Solar Panel	15W, 30W, 40W, 50W,60W, 80W
Light Power	5W, 9W, 10W, 12W, 15W, 18W, 20W
Pole Height	3M, 3.2M, 3.5M, 4M,4.5M
Battery	Gel or Lead acid deep cycle battery, 18Ah, 24Ah, 33AH,55Ah,65Ah,70Ah, 80Ah, 90Ah
Battery Position	On root of pole (optional)

Solar Garden Light (SGL57)

	Quotation	sample	>10sets	>50sets	>100sets	>200sets
		USD290	USD240	USD210	USD200	USD190
	Solar Panel	30W/18V, mono crystalline or polycrystalline, conversion efficiency >17%				
	Led Lamp	7W/12V bulb, individual Bridgelux LEDs, >160lm/watt				
	Pole	3m height, hot-dip galvanized and plastic powder coated ant-corrosion				
	Controller	12V/8A, Light on/off automatic control, IP68				
	Battery	26Ah/12V, Gel type, deep-cycle				
	Working Time	10-12 hours/day, 3-5 days backup				
Wind resistance	130km/h (higher wind resistant available)					

Options for Solar Garden Light (SGL57)

Solar Panel	15W, 30W, 40W, 50W,60W, 80W
Light Power	5W, 9W, 10W, 12W, 15W, 18W, 20W
Pole Height	3M, 3.2M, 3.5M, 4M,4.5M
Battery	Gel or Lead acid deep cycle battery, 18Ah, 24Ah, 33AH,55Ah,65Ah,70Ah, 80Ah, 90Ah
Battery Position	On root of pole (optional)

Jinhua Sunmaster Solar Technology Co., Ltd.

Headquarter & Factory: Jinhua city, Zhejiang Province, China


International sales office: Milan city, Italy

Tel: +39 02.37.92.02.88

E-mail: export@chinasunmaster.com

Web: www.solarlightsmanufacturer.com


Solar Garden Light (SGL58)

	Quotation	sample	>10sets	>50sets	>100sets	>200sets
		USD300	USD250	USD220	USD210	USD200
Solar Panel	30W/18V, mono crystalline or polycrystalline, conversion efficiency >17%					
Led Lamp	7W/12V bulb, individual Bridgelux LEDs, >160lm/watt					
Pole	3m height, hot-dip galvanized and plastic powder coated ant-corrosion					
Controller	12V/8A, Light on/off automatic control, IP68					
Battery	26Ah/12V, Gel type, deep-cycle					
Working Time	10-12 hours/day, 3-5 days backup					
Wind resistance	130km/h (higher wind resistant available)					

Options for Solar Garden Light (SGL58)

Solar Panel	15W, 30W, 40W, 50W,60W, 80W
Light Power	5W, 9W, 10W, 12W, 15W, 18W, 20W
Pole Height	3M, 3.2M, 3.5M, 4M,4.5M
Battery	Gel or Lead acid deep cycle battery, 18Ah, 24Ah, 33AH,55Ah,65Ah,70Ah, 80Ah, 90Ah
Battery Position	On root of pole (optional)

Solar Garden Light (SGL59)

	Quotation	sample	>10sets	>50sets	>100sets	>200sets
		USD520	USD480	USD440	USD4000	USD380
Solar Panel	80W/18V, mono crystalline or polycrystalline, conversion efficiency: 17%					
Led Lamp	9W/12V+ 12W tube light, individual Bridgelux LEDs, >160lm/watt					
Pole	4m height, hot-dip galvanized and plastic powder coated ant-corrosion					
Controller	12V/8A, Light on/off automatic control, IP68					
Battery	12V 80Ah, gel cell deep cycle battery					
Working Time	10-12 hours/day, 3-5 days backup					
Wind resistance	130km/h (higher wind resistant models available)					

Options for Solar Garden Light (SGL59)

Solar Panel	15W, 30W, 40W, 50W,60W, 80W
Light Power	5W, 9W, 10W, 12W, 15W, 18W, 20W
Pole Height	3M, 3.2M, 3.5M, 4M,4.5M
Battery	Gel or Lead acid deep cycle battery, 18Ah, 24Ah, 33AH,55Ah,65Ah,70Ah, 80Ah, 90Ah
Battery Position	On root of pole (optional)

Jinhua Sunmaster Solar Technology Co., Ltd.

Headquarter & Factory: Jinhua city, Zhejiang Province, China


International sales office: Milan city, Italy

Tel: +39 02.37.92.02.88

E-mail: export@chinasunmaster.com

Web: www.solarlightsmanufacturer.com


Solar Garden Light (SGL60)

	Quotation	sample	>10sets	>50sets	>100sets	>200sets
		USD380	USD330	USD290	USD270	USD250
	Solar Panel	30W/18V, mono crystalline or polycrystalline, conversion efficiency: 17%				
	Led Lamp	9W/12V bulb, individual Bridgelux LEDs, >160lm/watt				
	Pole	3m height, hot-dip galvanized and plastic powder coated ant-corrosion				
	Controller	12V/8A, Light on/off automatic control, IP68				
	Battery	12V 30Ah, gel cell deep cycle battery				
	Working Time	10-12 hours/day, 3-5 days backup				
Wind resistance	130km/h (higher wind resistant models available)					

Options for Solar Garden Light (SGL60)

Solar Panel	15W, 30W, 40W, 50W,60W, 80W
Light Power	5W, 9W, 10W, 12W, 15W, 18W, 20W
Pole Height	3M, 3.2M, 3.5M, 4M,4.5M
Battery	Gel or Lead acid deep cycle battery, 18Ah, 24Ah, 33AH,55Ah,65Ah,70Ah, 80Ah, 90Ah
Battery Position	On root of pole (optional)

Solar Garden Light (SGL61)

	Quotation	sample	>10sets	>50sets	>100sets	>200sets
		USD300	USD250	USD230	USD220	USD210
	Solar Panel	30W/18V, mono crystalline or polycrystalline, conversion efficiency >17%				
	Led Lamp	7W/12V bulb, individual Bridgelux LEDs, >160lm/watt				
	Pole	3m height, hot-dip galvanized and plastic powder coated ant-corrosion				
	Controller	12V/8A, Light on/off automatic control, IP68				
	Battery	26Ah/12V, Gel type, deep-cycle				
	Working Time	10-12 hours/day, 3-5 days backup				
Wind resistance	130km/h (higher wind resistant available)					

Options for Solar Garden Light (SGL61)

Solar Panel	15W, 30W, 40W, 50W,60W, 80W
Light Power	5W, 9W, 10W, 12W, 15W, 18W, 20W
Pole Height	3M, 3.2M, 3.5M, 4M,4.5M
Battery	Gel or Lead acid deep cycle battery, 18Ah, 24Ah, 33AH,55Ah,65Ah,70Ah, 80Ah, 90Ah
Battery Position	On root of pole (optional)

Jinhua Sunmaster Solar Technology Co., Ltd.

Headquarter & Factory: Jinhua city, Zhejiang Province, China


International sales office: Milan city, Italy

Tel: +39 02.37.92.02.88

E-mail: export@chinasunmaster.com

Web: www.solarlightsmanufacturer.com


Solar Garden Light (SGL62)

	Quotation	sample	>10sets	>50sets	>100sets	>200sets
		USD300	USD270	USD240	USD220	USD210
Solar Panel	30W/18V, mono crystalline or polycrystalline, conversion efficiency >17%					
Led Lamp	7W/12V bulb, individual Bridgelux LEDs, >160lm/watt					
Pole	3m height, hot-dip galvanized and plastic powder coated ant-corrosion					
Controller	12V/8A, Light on/off automatic control, IP68					
Battery	26Ah/12V, Gel type, deep-cycle					
Working Time	10-12 hours/day, 3-5 days backup					
Wind resistance	130km/h (higher wind resistant available)					

Options for Solar Garden Light (SGL62)

Solar Panel	15W, 30W, 40W, 50W,60W, 80W
Light Power	5W, 9W, 10W, 12W, 15W, 18W, 20W
Pole Height	3M, 3.2M, 3.5M, 4M,4.5M
Battery	Gel or Lead acid deep cycle battery, 18Ah, 24Ah, 33AH,55Ah,65Ah,70Ah, 80Ah, 90Ah
Battery Position	On root of pole (optional)

Solar Garden Light (SGL63)

	Quotation	sample	>10sets	>50sets	>100sets	>200sets
		USD420	USD380	USD350	USD330	USD320
Solar Panel	40W/18V, mono crystalline or polycrystalline, conversion efficiency: 17%					
Led Lamp	12W/12V bulb, individual Bridgelux LEDs, >160lm/watt					
Pole	3m height, hot-dip galvanized and plastic powder coated ant-corrosion					
Controller	12V/8A, Light on/off automatic control, IP68					
Battery	12V 40Ah, gel cell deep cycle battery					
Working Time	10-12 hours/day, 3-5 days backup					
Wind resistance	130km/h (higher wind resistant models available)					

Options for Solar Garden Light (SGL63)

Solar Panel	15W, 30W, 40W, 50W,60W, 80W
Light Power	5W, 9W, 10W, 12W, 15W, 18W, 20W
Pole Height	3M, 3.2M, 3.5M, 4M,4.5M
Battery	Gel or Lead acid deep cycle battery, 18Ah, 24Ah, 33AH,55Ah,65Ah,70Ah, 80Ah, 90Ah
Battery Position	On root of pole (optional)

Jinhua Sunmaster Solar Technology Co., Ltd.

Headquarter & Factory: Jinhua city, Zhejiang Province, China


International sales office: Milan city, Italy

Tel: +39 02.37.92.02.88

E-mail: export@chinasunmaster.com

Web: www.solarlightsmanufacturer.com


Solar Garden Light (SGL64)

	Quotation	sample	>10sets	>50sets	>100sets	>200sets
		USD300	USD250	USD220	USD210	USD200
	Solar Panel	30W/18V, mono crystalline or polycrystalline, conversion efficiency >17%				
	Led Lamp	7W/12V bulb, individual Bridgelux LEDs, >160lm/watt				
	Pole	3m height, hot-dip galvanized and plastic powder coated ant-corrosion				
	Controller	12V/8A, Light on/off automatic control, IP68				
	Battery	26Ah/12V, Gel type, deep-cycle				
	Working Time	10-12 hours/day, 3-5 days backup				
Wind resistance	130km/h (higher wind resistant available)					

Options for Solar Garden Light (SGL64)

Solar Panel	15W, 30W, 40W, 50W,60W, 80W
Light Power	5W, 9W, 10W, 12W, 15W, 18W, 20W
Pole Height	3M, 3.2M, 3.5M, 4M,4.5M
Battery	Gel or Lead acid deep cycle battery, 18Ah, 24Ah, 33AH,55Ah,65Ah,70Ah, 80Ah, 90Ah
Battery Position	On root of pole (optional)

Solar Garden Light (SGL65)

	Quotation	sample	>10sets	>50sets	>100sets	>200sets
		USD300	USD250	USD230	USD220	USD210
	Solar Panel	30W/18V, mono crystalline or polycrystalline, conversion efficiency >17%				
	Led Lamp	7W/12V bulb, individual Bridgelux LEDs, >160lm/watt				
	Pole	3m height, hot-dip galvanized and plastic powder coated ant-corrosion				
	Controller	12V/8A, Light on/off automatic control, IP68				
	Battery	26Ah/12V, Gel type, deep-cycle				
	Working Time	10-12 hours/day, 3-5 days backup				
Wind resistance	130km/h (higher wind resistant available)					

Options for Solar Garden Light (SGL65)

Solar Panel	15W, 30W, 40W, 50W,60W, 80W
Light Power	5W, 9W, 10W, 12W, 15W, 18W, 20W
Pole Height	3M, 3.2M, 3.5M, 4M,4.5M
Battery	Gel or Lead acid deep cycle battery, 18Ah, 24Ah, 33AH,55Ah,65Ah,70Ah, 80Ah, 90Ah
Battery Position	On root of pole (optional)

Jinhua Sunmaster Solar Technology Co., Ltd.


Headquarter & Factory: Jinhua city, Zhejiang Province, China

International sales office: Milan city, Italy

Tel: +39 02.37.92.02.88

E-mail: export@chinasunmaster.com


Web: www.solarlightsmanufacturer.com

	Quotation	sample	>10sets	>50sets	>100sets	>200sets
		USD320	USD290	USD270	USD240	USD220
	Solar Panel	30W/18V, mono crystalline or polycrystalline, conversion efficiency >17%				
	Led Lamp	7W/12V bulb, individual Bridgelux LEDs, >160lm/watt				
	Pole	3m height, hot-dip galvanized and plastic powder coated ant-corrosion				
	Controller	12V/8A, Light on/off automatic control, IP68				
	Battery	26Ah/12V, Gel type, deep-cycle				
	Working Time	10-12 hours/day, 3-5 days backup				
Wind resistance	130km/h (higher wind resistant available)					

Options for Solar Garden Light (SGL66)

Solar Panel	15W, 30W, 40W, 50W,60W, 80W
Light Power	5W, 9W, 10W, 12W, 15W, 18W, 20W
Pole Height	3M, 3.2M, 3.5M, 4M,4.5M
Battery	Gel or Lead acid deep cycle battery, 18Ah, 24Ah, 33AH,55Ah,65Ah,70Ah, 80Ah, 90Ah
Battery Position	On root of pole (optional)

Solar Garden Light (SGL67)

	Quotation	sample	>10sets	>50sets	>100sets	>200sets
		USD300	USD260	USD240	USD220	USD210
	Solar Panel	30W/18V, mono crystalline or polycrystalline, conversion efficiency >17%				
	Led Lamp	7W/12V bulb, individual Bridgelux LEDs, >160lm/watt				
	Pole	3m height, hot-dip galvanized and plastic powder coated ant-corrosion				
	Controller	12V/8A, Light on/off automatic control, IP68				
	Battery	26Ah/12V, Gel type, deep-cycle				
	Working Time	10-12 hours/day, 3-5 days backup				
Wind resistance	130km/h (higher wind resistant available)					

Options for Solar Garden Light (SGL67)

Solar Panel	15W, 30W, 40W, 50W,60W, 80W
Light Power	5W, 9W, 10W, 12W, 15W, 18W, 20W
Pole Height	3M, 3.2M, 3.5M, 4M,4.5M
Battery	Gel or Lead acid deep cycle battery, 18Ah, 24Ah, 33AH,55Ah,65Ah,70Ah, 80Ah, 90Ah
Battery Position	On root of pole (optional)

Jinhua Sunmaster Solar Technology Co., Ltd.


Headquarter & Factory: Jinhua city, Zhejiang Province, China

International sales office: Milan city, Italy

Tel: +39 02.37.92.02.88

E-mail: export@chinasunmaster.com


Web: www.solarlightsmanufacturer.com

	Quotation	sample	>10sets	>50sets	>100sets	>200sets
		USD250	USD220	USD200	USD180	USD170
Solar Panel	30W/18V, mono crystalline or polycrystalline, conversion efficiency >17%					
Led Lamp	7W/12V bulb, individual Bridgelux LEDs, >160lm/watt					
Pole	3m height, hot-dip galvanized and plastic powder coated ant-corrosion					
Controller	12V/8A, Light on/off automatic control, IP68					
Battery	26Ah/12V, Gel type, deep-cycle					
Working Time	10-12 hours/day, 3-5 days backup					
Wind resistance	130km/h (higher wind resistant available)					


Options for Solar Garden Light (SGL13)

Solar Panel	15W, 30W, 40W, 50W,60W, 80W
Light Power	5W, 9W, 10W, 12W, 15W, 18W, 20W
Pole Height	3M, 3.2M, 3.5M, 4M,4.5M
Battery	Gel or Lead acid deep cycle battery, 18Ah, 24Ah, 33AH,55Ah,65Ah,70Ah, 80Ah, 90Ah
Battery Position	On root of pole (optional)

Solar Garden Light (SGL29)

	Quotation	sample	>10sets	>50sets	>100sets	>200sets
		USD400	USD350	USD320	USD300	USD280
Solar Panel	30W/18V, mono crystalline or polycrystalline, conversion efficiency: 17%					
Light Source	9W/12V*1pc, individual Bridgelux LEDs, >160lm/watt					
Pole	3.2M, hot galvanizing treatment					
Controller	12V 5A solar charge controller					
Battery	12V 33Ah, gel cell deep cycle battery					
Working Time	10~12 hours/day, 3-5 cloudy or rainy days backup					
Wind resistance	130km/h (higher wind resistant models available)					

Options for Solar Garden Light (SGL29)

	Solar Panel	20W, 30W, 40W, 50W,60W
	Light Power	10W, 12W, 15W, 18W,20W
	Pole Height	3M, 3.2M, 3.5M, 4M
	Battery	18Ah, 33AH,55Ah,70Ah, 80Ah, 90Ah
	Battery Position	Underground (optional)

Jinhua Sunmaster Solar Technology Co., Ltd.

Headquarter & Factory: Jinhua city, Zhejiang Province, China


International sales office: Milan city, Italy

Tel: +39 02.37.92.02.88

E-mail: export@chinasunmaster.com

Web: www.solarlightsmanufacturer.com


Solar Garden Light (SGL01)

	Quotation	sample	>10sets	>50sets	>100sets	>200sets
		USD380	USD340	USD300	USD280	USD260
	Solar Panel	30W/18V, mono crystalline or polycrystalline, conversion efficiency: 17%				
	Light Power	9W super bright white LED lamps				
	Pole	3.5M, galvanized steel				
	Controller	12V 5A solar charge controller				
	Battery	12V 33Ah, gel cell deep cycle battery				
	Working Time	10~12 hours/day, 3 -5 cloudy or rainy days backup				
	Wind Resistance	130km/h (higher wind resistant models available)				

Options for Solar Garden Light (SGL01)

Solar Panel	20W, 30W,40W, 50W, 60W
Light Power	6W, 8W, 10W, 12W, 15W, 20W, 25W, 30W
Pole Height	3M, 4M, 4.5M, 5M
Battery	Gel or Lead acid deep cycle battery, 24Ah, 33Ah, 55Ah, 65Ah,70Ah, 80Ah, 90Ah, 100Ah
Battery Position	On top of the pole (optional)

Solar Garden Light (SGL02)

	Quotation	sample	>10sets	>50sets	>100sets	>200sets
		USD290	USD260	USD240	USD220	USD210
	Solar Panel	30W/18V, mono crystalline or polycrystalline, conversion efficiency: 17%				
	Light Power	1pc 9W super bright white LED lamps				
	Pole	3.5M, galvanized steel				
	Controller	12V 5A solar charge controller				
	Battery	12V 33Ah, gel cell deep cycle battery				
	Working Time	10~12 hours/day, 3 -5 cloudy or rainy days backup				
	Wind Resistance	130km/h (higher wind resistant models available)				

Options for Solar Garden Light (SGL02)

Solar Panel	20W, 30W, 40W, 50W, 60W, 80W, 90W, 100W
Light Power	5W, 7W, 9W, 10W, 12W, 15W, 18W, 20W, 25W, 28W, 30W
Pole Height	3M, 3.2M, 3.5M, 4M, 5M, 6M
Battery	Gel or Lead acid deep cycle battery, 24AH, 33AH,55Ah,65Ah,70Ah, 80Ah, 90Ah, 100AH
Battery Position	Underground (optional)

Jinhua Sunmaster Solar Technology Co., Ltd.

Headquarter & Factory: Jinhua city, Zhejiang Province, China


International sales office: Milan city, Italy

Tel: +39 02.37.92.02.88

E-mail: export@chinasunmaster.com

Web: www.solarlightsmanufacturer.com


Solar Garden Light (SGL05)

	Quotation	sample	>10sets	>50sets	>100sets	>200sets
		USD380	USD340	USD300	USD280	USD260
Solar Panel	30W/18V, mono crystalline or polycrystalline, efficiency >17%					
Light Source	7W/12V bulb, individual Bridgelux LEDs, >160lm/watt					
Pole	3m height, hot-dip galvanized and plastic powder coated ant-corrosion					
Controller	12V/8A, Light on/off automatic control, IP68					
Battery	26Ah/12V, Gel type, deep-cycle					
Working Time	10-12 hours/day, 3-5 days backup					
Wind resistance	130km/h (higher wind resistant available)					


Options for Solar Garden Light (SGL05)

Solar Panel	20W, 30W, 40W, 50W
Light Power	7W, 8W, 10W, 12W, 15W, 18W
Pole Height	3M, 3.2M, 3.5M, 4M
Battery	Gel or Lead acid deep cycle battery, 18Ah, 24Ah, 33AH,55Ah,65Ah,70Ah, 80Ah, 90Ah
Battery Position	Underground (optional)

Solar Garden Light (SGL06)

	Quotation	sample	>10sets	>50sets	100sets	200sets
		USD380	USD340	USD300	USD280	USD260
Solar Panel	30W/18V, mono crystalline or polycrystalline, conversion efficiency:17%					
Light Source	9W/DC12V, Bridgelux LEDs, >160lm/watt					
Pole	3.2M, hot galvanizing treatment					
Controller	12V 5A solar charge controller					
Battery	12V/33Ah*1pc, gel or lead acid deep cycle battery					
Working Time	10~12 hours/day, 3-5 cloudy or rainy days backup.					
Wind resistance	130km/h (higher wind resistant models available)					

Options for Solar Garden Light (SGL06)

	Solar Panel	20W, 30W, 40W, 50W,60W
	Light Power	7W, 8W, 10W, 12W, 15W, 18W,20W
	Pole Height	3M, 3.2M, 3.5M, 4M,4.5M
	Battery	Gel or Lead acid deep cycle battery, 18Ah, 24Ah, 33AH,55Ah,
	Battery Position	Underground (optional)

Jinhua Sunmaster Solar Technology Co., Ltd.

Headquarter & Factory: Jinhua city, Zhejiang Province, China


International sales office: Milan city, Italy

Tel: +39 02.37.92.02.88

E-mail: export@chinasunmaster.com

Web: www.solarlightsmanufacturer.com


Solar Garden Light (SGL08)

	Quotation	sample	>10sets	>50sets	>100sets	>200sets
		USD280	USD240	USD220	USD210	USD200
Solar Panel	30W/18V, mono crystalline or polycrystalline, conversion efficiency >17%					
Light Power	7W/12V bulb, individual Bridgelux LEDs, >160lm/watt					
Pole	3m height, hot-dip galvanized and plastic powder coated ant-corrosion					
Controller	12V/8A, Light on/off automatic control, IP68					
Battery	26Ah/12V, Gel type, deep-cycle					
Working Time	10-12 hours/day, 3-5 days backup					
Wind Resistance	130km/h (higher wind resistant available)					


Options for Solar Garden Light ((SGL08)

Solar Panel	20W, 30W, 40W, 50W,60W
Light Power	10W, 12W, 15W, 18W,20W
Pole Height	3M, 3.2M, 3.5M, 4M,4.5M
Battery	Gel or Lead acid deep cycle battery, 18Ah, 24Ah, 33AH,55Ah,65Ah,70Ah, 80Ah, 90Ah
Battery Position	Underground (optional)

Solar Garden Light (SGL09)

	Quotation	sample	>10sets	>50sets	>100sets	>200sets
		USD380	USD340	USD300	USD280	USD260
Solar Panel	40W/18V, mono crystalline or polycrystalline, conversion efficiency: 17%					
Light Source	9W/12V*1pc, individual Bridgelux LEDs, >160lm/watt					
Pole	3m height, hot-dip galvanized and plastic powder coated ant-corrosion					
Controller	12V/8A, Light on/off automatic control, IP68					
Battery	12V 40Ah, gel cell deep cycle battery					
Working Time	10~12 hours/day, 3-5 cloudy or rainy days backup					
Wind resistance	130km/h (higher wind resistant models available)					

Options for Solar Garden Light (SGL09)

	Solar Panel	20W, 30W, 40W, 50W,60W
	Light Power	10W, 12W, 15W, 18W,20W
	Pole Height	3M, 3.2M, 3.5M, 4M
	Battery	Gel or Lead acid deep cycle battery, 18Ah, 24Ah, 33AH,55Ah,
	Battery Position	Underground (optional)

Jinhua Sunmaster Solar Technology Co., Ltd.

Headquarter & Factory: Jinhua city, Zhejiang Province, China


International sales office: Milan city, Italy

Tel: +39 02.37.92.02.88

E-mail: export@chinasunmaster.com

Web: www.solarlightsmanufacturer.com


Solar Garden Light (SGL68)

	Quotation	sample	>10sets	>50sets	>100sets	>200sets
		USD420	USD380	USD360	USD330	USD320
Solar Panel	40W/18V, mono crystalline or polycrystalline, conversion efficiency: 17%					
Light Source	10W/12V*1pc, individual Bridgelux LEDs, >160lm/watt					
Pole	3m height, hot-dip galvanized and plastic powder coated ant-corrosion					
Controller	12V/8A, Light on/off automatic control, IP68					
Battery	12V 40Ah, gel cell deep cycle battery					
Working Time	10~12 hours/day, 3-5 days backup					
Wind resistance	130km/h (higher wind resistant available)					


Options for Solar Garden Light (SGL68)

Solar Panel	20W, 30W, 40W, 50W,60W
Light Power	10W, 12W, 15W, 18W,20W
Pole Height	3M, 3.2M, 3.5M, 4M
Battery	Gel or Lead acid deep cycle battery, 18Ah, 24Ah, 33AH,55Ah,65Ah,70Ah, 80Ah, 90Ah
Battery Position	Underground (optional)

Solar Garden Light (SGL12)

	Quotation	sample	>10sets	>50sets	>100sets	>200sets
		USD380	USD340	USD300	USD280	USD260
Solar Panel	40W/18V, mono crystalline or polycrystalline, conversion efficiency: 17%					
Light Power	9W/DC12V, individual Bridgelux LEDs, >160lm/watt					
Pole	3m height, hot-dip galvanized and plastic powder coated ant-corrosion					
Controller	12V/8A, Light on/off automatic control, IP68					
Battery	12V 40Ah, gel cell deep cycle battery					
Working Time	10~12 hours/day, 3-5 cloudy or rainy days backup					
Wind Resistance	130km/h (higher wind resistant models available)					

Options for Solar Garden Light (SGL12)

	Solar Panel	20W, 30W, 40W, 50W,60W
	Light Power	10W, 12W, 15W, 18W,20W
	Pole Height	3M, 3.2M, 3.5M, 4M
	Battery	Gel or Lead acid deep cycle battery, 18Ah, 24Ah, 33AH
	Battery Position	Underground (optional)

Jinhua Sunmaster Solar Technology Co., Ltd.

Headquarter & Factory: Jinhua city, Zhejiang Province, China


International sales office: Milan city, Italy

Tel: +39 02.37.92.02.88

E-mail: export@chinasunmaster.com

Web: www.solarlightsmanufacturer.com

Solar Garden Light (SGL07)


	Quotation	sample	>10sets	>50sets	>100sets	>200sets
		USD460	USD420	USD380	USD350	USD330
	Solar Panel	50W/18V, mono crystalline or polycrystalline, conversion efficiency: 17%				
	Light Power	7W/12V*2pcs, individual Bridgelux LEDs, >160lm/watt				
	Pole	3m height, hot-dip galvanized and plastic powder coated ant-corrosion				
	Controller	12V/8A, Light on/off automatic control, IP68				
	Battery	12V 50Ah, gel cell deep cycle battery				
	Working Time	10~12 hours/day, 3-5 days backup				
Wind Resistance	130km/h (higher wind resistant models available)					

Options for Solar Garden Light (SGL07)



Solar Panel	30W, 40W, 50W,60W
Light Power	7W, 8W, 10W, 12W, 15W, 18W,20W
Pole Height	3M, 3.2M, 3.5M, 4M,4.5M
Battery	Gel or Lead acid deep cycle battery, 18Ah, 24Ah, 33AH
Battery Position	Underground (optional)

Solar Garden Light (SGL14)

	Quotation	sample	>10sets	>50sets	>100sets	>200sets
		USD400	USD370	USD350	USD330	USD310
	Solar Panel	50W/18V, mono crystalline or polycrystalline				
	Light Power	2pcs 7W super bright white LED lamps				
	Pole	3m height, hot-dip galvanized and plastic powder coated ant-corrosion				
	Controller	12V/8A, Light on/off automatic control, IP68				
	Battery	12V 50Ah, gel cell deep cycle battery				
	Working Time	10~12 hours/day, 3-5 cloudy or rainy days backup				
Wind Resistance	130km/h (higher wind resistant models available)					

Options for Solar Garden Light (SGL14)

Solar Panel	20W, 30W, 40W, 50W,60W
Light Power	5W, 7W, 9W, 10W
Pole Height	3M, 3.2M, 3.5M, 4M
Battery	Gel or Lead acid deep cycle battery, 33AH,55Ah,65Ah,70Ah, 80Ah, 90Ah
Battery Position	Underground (optional)

Jinhua Sunmaster Solar Technology Co., Ltd.

Headquarter & Factory: Jinhua city, Zhejiang Province, China


International sales office: Milan city, Italy

Tel: +39 02.37.92.02.88

E-mail: export@chinasunmaster.com

Web: www.solarlightsmanufacturer.com


Solar Garden Light (SGL15)

	Quotation	sample	>10sets	>50sets	>100sets	>20sets
		USD430	USD400	USD380	USD360	USD350
	Solar Panel	50W/18V, mono crystalline or polycrystalline, conversion efficiency: 17%				
	Light Power	2pcs 7W super bright white LED lamps				
	Pole	3m height, hot-dip galvanized and plastic powder coated ant-corrosion				
	Controller	12V/8A, Light on/off automatic control, IP68				
	Battery	12V 50Ah, gel cell deep cycle battery				
	Working Time	10~12 hours/day, 3 ~ 5 days backup				
Wind Resistance	130km/h (higher wind resistant models available)					

Options for Solar Garden Light (SGL15)

Solar Panel	20W, 30W, 40W, 50W,60W
Light Power	5W, 7W, 9W, 10W
Pole Height	3M, 3.2M, 3.5M, 4M
Battery	Gel or Lead acid deep cycle battery, 33AH,55Ah,65Ah,70Ah, 80Ah, 90Ah
Battery Position	Underground (optional)

Solar Garden Light (SGL41)

	Quotation	sample	>5sets	>50sets	>100sets	>200sets
		USD400	USD370	USD350	USD330	USD310
	Solar Panel	50W/18V, mono crystalline or polycrystalline, conversion efficiency: 17%				
	Light Power	2pcs 7W super bright white LED lamps				
	Pole	3m height, hot-dip galvanized and plastic powder coated ant-corrosion				
	Controller	12V/8A, Light on/off automatic control, IP68				
	Battery	12V 50Ah, gel cell deep cycle battery				
	Working Time	10~12 hours/day, 3~5 days backup				
Wind Resistance	130km/h (higher wind resistant models available)					

Options for Solar Garden Light (SGL41)

Solar Panel	20W, 30W, 40W, 50W,60W
Light Power	5W, 7W, 9W, 10W
Pole Height	3M, 3.2M, 3.5M, 4M
Battery	Gel or Lead acid deep cycle battery, 33AH,55Ah,65Ah,70Ah, 80Ah, 90Ah
Battery Position	Underground (optional)

Jinhua Sunmaster Solar Technology Co., Ltd.

Headquarter & Factory: Jinhua city, Zhejiang Province, China


International sales office: Milan city, Italy

Tel: +39 02.37.92.02.88

E-mail: export@chinasunmaster.com

Web: www.solarlightsmanufacturer.com


Solar Garden Light (SGL19)

	Quotation	sample	>5sets	>50sets	>100sets	>200sets
		USD390	USD360	USD340	USD320	USD300
Solar Panel	50W/18V, mono crystalline or polycrystalline, conversion efficiency: 17%					
Light Power	2pcs 7W super bright white LED lamps					
Pole	3m height, hot-dip galvanized and plastic powder coated ant-corrosion					
Controller	12V/8A, Light on/off automatic control, IP68					
Battery	12V 50Ah, gel cell deep cycle battery					
Working Time	10~12 hours/day, 3 -5 days backup					
Wind Resistance	130km/h (higher wind resistant models available)					

Options for Solar Garden Light (SGL19)

Solar Panel	20W, 30W, 40W, 50W,60W
Light Power	5W, 7W, 9W, 10W
Pole Height	3M, 3.2M, 3.5M, 4M
Battery	Gel or Lead acid deep cycle battery, 33AH,55Ah,65Ah,70Ah, 80Ah, 90Ah
Battery Position	Underground (optional)

Solar Garden Light (SGL42)

	Quotation	sample	>10sets	>50sets	>100sets	>200sets
		USD440	USD390	USD370	USD340	USD330
Solar Panel	50W/18V, mono crystalline or polycrystalline, conversion efficiency: 17%					
Light Source	7W/12V*1pc, individual Bridgelux LEDs, >160lm/watt					
Pole	3m height, hot-dip galvanized and plastic powder coated ant-corrosion					
Controller	12V/8A, Light on/off automatic control, IP68					
Battery	12V 50Ah, gel cell deep cycle battery					
Working Time	10~12 hours/day, 3-5 days backup					
Wind resistance	130km/h (higher wind resistant models available)					

Options for Solar Garden Light (SGL42)

Solar Panel	20W, 30W, 40W, 50W,60W
Light Power	10W, 12W, 15W, 18W,20W
Pole Height	3M, 3.2M, 3.5M, 4M
Battery	Gel or Lead acid deep cycle battery, 18Ah, 24Ah, 33AH,55Ah,65Ah,70Ah, 80Ah, 90Ah
Battery Position	Underground (optional)

Jinhua Sunmaster Solar Technology Co., Ltd.

Headquarter & Factory: Jinhua city, Zhejiang Province, China


International sales office: Milan city, Italy

Tel: +39 02.37.92.02.88

E-mail: export@chinasunmaster.com

Web: www.solarlightsmanufacturer.com


Solar Garden Light (SGL22)

	Quotation	sample	>10sets	>50sets	>100sets	>200sets
		USD390	USD350	USD320	USD300	USD290
	Solar Panel	50W/18V, mono crystalline or polycrystalline, conversion efficiency: 17%				
	Light Source	7W/12V*1pc, individual Bridgelux LEDs, >160lm/watt				
	Pole	3m height, hot-dip galvanized and plastic powder coated ant-corrosion				
	Controller	12V/8A, Light on/off automatic control, IP68				
	Battery	12V 50Ah, gel cell deep cycle battery				
	Working Time	10~12 hours/day, 3-5 days backup				
	Wind resistance	130km/h (higher wind resistant models available)				

Options for Solar Garden Light (SGL22)

Solar Panel	20W, 30W, 40W, 50W,60W
Light Power	10W, 12W, 15W, 18W,20W
Pole Height	3M, 3.2M, 3.5M, 4M
Battery	Gel or Lead acid deep cycle battery, 18Ah, 24Ah, 33AH,55Ah,65Ah,70Ah, 80Ah, 90Ah
Battery Position	Underground (optional)

Solar Garden Light (SGL69)

	Quotation	sample	>10sets	>50sets	>100sets	>200sets
		USD420	USD380	USD360	USD330	USD320
	Solar Panel	30W/18V, mono crystalline or polycrystalline, conversion efficiency: 17%				
	Light Source	7W/12V*1pc, individual Bridgelux LEDs, >160lm/watt				
	Pole	3m height, hot-dip galvanized and plastic powder coated ant-corrosion				
	Controller	12V/8A, Light on/off automatic control, IP68				
	Battery	12V 50Ah, gel cell deep cycle battery				
	Working Time	10~12 hours/day, 3-5 days backup				
	Wind resistance	130km/h (higher wind resistant models available)				

Options for Solar Garden Light (SGL69)

Solar Panel	20W, 30W, 40W, 50W,60W
Light Power	10W, 12W, 15W, 18W,20W
Pole Height	3M, 3.2M, 3.5M, 4M
Battery	Gel or Lead acid deep cycle battery, 18Ah, 24Ah, 33AH,55Ah,65Ah,70Ah, 80Ah, 90Ah
Battery Position	Underground (optional)

Jinhua Sunmaster Solar Technology Co., Ltd.

Headquarter & Factory: Jinhua city, Zhejiang Province, China


International sales office: Milan city, Italy

Tel: +39 02.37.92.02.88

E-mail: export@chinasunmaster.com

Web: www.solarlightsmanufacturer.com


Solar Garden Light (SGL70)

	Quotation	sample	>10sets	>50sets	>100sets	>200sets
		USD400	USD380	USD360	USD340	USD320
	Solar Panel	50W/18V, mono crystalline or polycrystalline, conversion efficiency: 17%				
	Light Source	9W/12V*1pc, individual Bridgelux LEDs, >160lm/watt				
	Pole	3m height, hot-dip galvanized and plastic powder coated ant-corrosion				
	Controller	12V/8A, Light on/off automatic control, IP68				
	Battery	12V 50Ah, gel cell deep cycle battery				
	Working Time	10~12 hours/day, 3-5 days backup				
Wind resistance	130km/h (higher wind resistant models available)					

Options for Solar Garden Light (SGL70)

Solar Panel	20W, 30W, 40W, 50W,60W
Light Power	10W, 12W, 15W, 18W,20W
Pole Height	3M, 3.2M, 3.5M, 4M
Battery	Gel or Lead acid deep cycle battery, 18Ah, 24Ah, 33AH,55Ah,65Ah,70Ah, 80Ah, 90Ah
Battery Position	Underground (optional)

Solar Garden Light (SGL71)

	Quotation	sample	>10sets	>50sets	>100sets	>200sets
		USD400	USD380	USD360	USD340	USD320
	Solar Panel	50W/18V, mono crystalline or polycrystalline, conversion efficiency: 17%				
	Light Source	9W/12V*1pc, individual Bridgelux LEDs, >160lm/watt				
	Pole	3m height, hot-dip galvanized and plastic powder coated ant-corrosion				
	Controller	12V/8A, Light on/off automatic control, IP68				
	Battery	12V 50Ah, gel cell deep cycle battery				
	Working Time	10~12 hours/day, 3-5 days backup				
Wind resistance	130km/h (higher wind resistant models available)					

Options for Solar Garden Light (SGL71)

Solar Panel	20W, 30W, 40W, 50W,60W
Light Power	10W, 12W, 15W, 18W,20W
Pole Height	3M, 3.2M, 3.5M, 4M
Battery	Gel or Lead acid deep cycle battery, 18Ah, 24Ah, 33AH,55Ah,65Ah,70Ah, 80Ah, 90Ah
Battery Position	Underground (optional)

Jinhua Sunmaster Solar Technology Co., Ltd.

Headquarter & Factory: Jinhua city, Zhejiang Province, China


International sales office: Milan city, Italy

Tel: +39 02.37.92.02.88

E-mail: export@chinasunmaster.com

Web: www.solarlightsmanufacturer.com


Solar Garden Light (SGL72)

	Quotation	sample	>10sets	>50sets	>100sets	>200sets
		USD440	USD400	USD380	USD350	USD340
	Solar Panel	50W/18V, mono crystalline or polycrystalline, conversion efficiency: 17%				
	Light Source	9W/12V*1pc, individual Bridgelux LEDs, >160lm/watt				
	Pole	3m height, hot-dip galvanized and plastic powder coated ant-corrosion				
	Controller	12V/8A, Light on/off automatic control, IP68				
	Battery	12V 50Ah, gel cell deep cycle battery				
	Working Time	10~12 hours/day, 3-5 days backup				
Wind resistance	130km/h (higher wind resistant models available)					

Options for Solar Garden Light (SGL72)

Solar Panel	20W, 30W, 40W, 50W,60W
Light Power	10W, 12W, 15W, 18W,20W
Pole Height	3M, 3.2M, 3.5M, 4M
Battery	Gel or Lead acid deep cycle battery, 18Ah, 24Ah, 33AH,55Ah,65Ah,70Ah, 80Ah, 90Ah
Battery Position	Underground (optional)

Solar Garden Light (SGL73)

	Quotation	sample	>10sets	>50sets	>100sets	>200sets
		USD400	USD380	USD360	USD340	USD320
	Solar Panel	50W/18V, mono crystalline or polycrystalline, conversion efficiency: 17%				
	Light Source	9W/12V*1pc, individual Bridgelux LEDs, >160lm/watt				
	Pole	3m height, hot-dip galvanized and plastic powder coated ant-corrosion				
	Controller	12V/8A, Light on/off automatic control, IP68				
	Battery	12V 50Ah, gel cell deep cycle battery				
	Working Time	10~12 hours/day, 3-5 days backup				
Wind resistance	130km/h (higher wind resistant models available)					

Options for Solar Garden Light (SGL73)

Solar Panel	20W, 30W, 40W, 50W,60W
Light Power	10W, 12W, 15W, 18W,20W
Pole Height	3M, 3.2M, 3.5M, 4M
Battery	Gel or Lead acid deep cycle battery, 18Ah, 24Ah, 33AH,55Ah,65Ah,70Ah, 80Ah, 90Ah
Battery Position	Underground (optional)

Jinhua Sunmaster Solar Technology Co., Ltd.

Headquarter & Factory: Jinhua city, Zhejiang Province, China

International sales office: Milan city, Italy

Tel: +39 02.37.92.02.88

E-mail: export@chinasunmaster.com

Web: www.solarlightsmanufacturer.com

Solar Duration: We use NASA data to calculate average and minimum solar radiation

Latitude: we design the solar panel tilt to capture the maximum amount of energy

Season Variation: We make adjustments for seasonal differences, so our lights will work during the stormy winters as well as balmy summers


Weather: Our lights are designed to work through rain, snow, fog, and cloudy weather

Dust: We have a special design to ensure our lights are dust resistant and minimize maintenance costs in dusty areas

Wind Speed: We design the foundations and poles to withstand hurricanes

Temperature: Our lights are designed to operate from -20 to 50 degrees

Humidity: We use waterproof controller, connector and battery box to ensure our lights operate even in the most humid condi



Installation

SunMaster's solar street lights are extremely easy to install. In most cases, only simple hand tools are needed to assemble the light. We offer detailed installation instructions and videos. For larger projects, we can provide onsite installation training and technical assistance.

For better wind resistance, we recommend using concrete foundations for solar lights. We provide all the hardware necessary to build the foundations, and can offer suggestions on the best size based on the customers' wind resistance requirements.

Warranty

- **Solar Panel:** Minimum 25 years of power generation capacity, with 10-year warranty.
- **LED Light:** Minimum 50.000 hours life span, with 3-year all inclusive warranty – covers everything on the LED street lights, including lamp holder parts, power supply, radiator, scaling gasket, LED modules & lens.
- **Controller:** Minimum 8 years by ordinary usage, with a 3-year warranty.
- **Pole:** up to 25 years life span.
- **Battery:** 6 to 8 years life span, with a 3-year warranty for gel battery and 1-year warranty for lead acid battery.

Jinhua Sunmaster Solar Technology Co., Ltd.

Headquarter & Factory: Jinhua city, Zhejiang Province, China
International sales office: Milan city, Italy

Tel: +39 02.37.92.02.88

E-mail: export@chinasunmaster.com

Web: www.solarlightsmanufacturer.com